

Aisthesis O.3



SPEC CERAMICS, INC.

SpecCeramics.com | info@specceramics.com | 800 449 7732

DISTRIBUTED BY:



ZERO.3[®] by  CERAMICA
PANARIA

LA NUOVA DIMENSIONE CERAMICA

THE NEW CERAMIC DIMENSION / LA NOUVELLE DIMENSION CÉRAMIQUE / DIE NEUE KERAMISCHE DIMENSION



ZERO.3[®]

by  CERAMICA
PANARIA

A new dimension in ceramics

ZERO.3 is the result of exclusive “laminated stoneware” technology which results in slabs that measure 100x300x0.3 cm, a unique format which opens a whole new world of possibilities to architects and designers.

Panariagroup is currently the only firm in the world with the complete technological know-how to produce large thin ceramic slabs.

The firm operates a production line that makes porcelain stoneware slabs (measuring 1X3X0.03 meters) which is connected to the atomization area and finally to the line where the product is cut and finished. This highly advanced production line is also equipped with rotocolours, digital decoration technology, gas oven and special selection machinery.

The competitive advantages of ZERO.3 laminated stoneware:

- resistant: ZERO.3 Plus can resist pressure of up to 1.235 Newton;
- large: a range of 7 innovative shapes of up to 3 X 1 meters, exclusive sizes which open a whole new world to architects and interior designers;
- flat: the surface area is perfectly flat;
- thin: this feature makes our slabs easy to use;
- light: this attribute makes moving the slab from place to place and laying it so much easier, the 3mm thickness of the slab means it weighs only 7,4kg/m²;
- flexible: ideal for covering curved wall areas with a range of up to 5 meters;
- easy: the material is very pliable, easy to cut and work with, whatever the thickness chosen, making the slabs ideal for use in innovative and creative projects;
- reliable: used all over the world, it boasts many prestigious references;
- aesthetics: it is beautiful to look at wherever it is placed. ZERO.3 slabs exalt the beauty of the ceramic imbuing any ambience with innovative elegance and class;

- inexpensive: it is ideal for reconstruction projects because it can be used to cover existing materials without having to demolish or dismantle old walls, thus saving on labour costs;
- guaranteed: it has a guarantee for up to 20 years;
- ecological: the manufacturing process is in keeping with all of the most strict environmental laws, uses less raw materials, water and CO2 emission energy.

ZERO.3 is available in three unique thicknesses:

- ZERO.3 (3 mm) is ultra thin and light, ideal when applied as covering;
- ZERO.3 PLUS (3.5 mm) is a re-enforced version with a fibreglass base which makes it all the more resistant and flexible, ideal for placement over old material without demolition;
- ZERO.3 TWIN (7 mm) is the high resistant version, a double thickness perfect for flooring anywhere.

Our laminated stoneware collection:

Aisthesis is the first collection presented by Ceramica Panaria and includes our ZERO.3 porcelain stoneware line, a very popular and elegant product which is ideal when used in the construction of homes or any other type of modern architecture. It comes in five elegant hues – white, yellow, sand, cocoa and lava grey – and can be enriched with refined and exclusive designs.


DOGHE 0.3: this collection offers a very thin wood-effect and comes in three modern colours, has warm and elegant modern graphic designs and comes in unique shapes.

Experience 0.3, one of the remarkable innovations introduced by Panaria at Cersaie 2011, stands out for its resin-effect surface. The type of material it represents, the series of sizes and the original range of designs offer a wide assortment of customised solutions for your furniture space and give the collection a strong architectural feeling.

Our ZERO.3 slabs offer a whole new concept for planning interiors. Whether you need to cover large areas or a dress a single space, the elegance, prestige and beauty of our products are ideal in any case, as well as being ecologically friendly. Panaria has always worked to safeguard the environment and the manufacturing processes at the plant ensure that the least possible amounts of water, raw materials, gas and CO2-emitting Energy are used.

Aisthesis 0.3

Aisthesis 0.3 is the first collection that Panaria has used on ZERO.3 glazed stoneware tiles. A very elegant product, appreciated in all markets, ideal in both residential and the most modern of architectural applications to create dream environments.



Bianco



Cacao



Lavica



Paglierino




Sabbia

ZERO.3[®] by  CERAMICA PANARIA

Aisthesis O.3


Sizes:



ZERO.3[®] by  CERAMICA
PANARIA

Aisthesis O.3

Décors:



ZERO.3[®] by  CERAMICA PANARIA

IMBALLAGGI E PESI

PACKINGS AND WEIGHTS/ VERPACKUNGEN UND GEWICHTE/ EMBALLAGES ET POIDS/ EMBALAJES Y PESOS

DESCRIZIONE DESCRIPTION BESCHREIBUNG DESCRIPTION DESCRIPTION	FORMATI SIZES FORMATE FORMATS FORMATOS	PEZZI SCATOLA PIECES BOX STÜCK-KARTON PIÈCES BOÎTE PZAS. CAJA	PESO SCATOLA KG. WEIGHT BOX GEWICHT KARTON POIDS BOÎTE PESO CAJA KG	MQ. SCATOLA SQ. MT. BOX QM. KARTON M² BOÎTE M² CAJA	ML SCATOLA LN. MT. BOX LM KARTON ML BOÎTE ML CAJA	SCATOLE PALLET BOXES PALLET KARTONS PALETTE BOÎTES PALETTE CAJAS PALLET	PESO PALLET KG WEIGHT PALLET GEWICHT PALETTE POIDS PALETTE PESO PALLET KG.	MQ. PALLET SQ. MT. PALLET QM PALETTE M² PALETTE M² PALLET
AISTHESIS ^{0.3}	100X300X0,3	1	22,2	3	-	13	288,60	39
AISTHESIS ^{0.3}	100X100X0,3	3	22,2	3	-	25	555	75
AISTHESIS ^{0.3}	50X100X0,3	5	17,8	2,50	-	32	569,6	80
AISTHESIS ^{0.3}	4,9X100X0,3	10	3,9	0,49	-	39	152,10	19,11
AISTHESIS ^{0.3}	DECORI 50X100X0,3	4	14	2	-	-	-	-
AISTHESIS ^{0.3} PLUS	100X300X0,35	1	25,35	3	-	12	304,2	36
AISTHESIS ^{0.3} PLUS	100X100X0,35	3	24,1	3	-	25	602,5	75
AISTHESIS ^{0.3} PLUS	50X100X0,35	5	20	2,50	-	32	640	80
AISTHESIS ^{0.3} PLUS	50X50X0,35	7	14	1,75	-	48	672	84
AISTHESIS ^{0.3} TWIN	100X300X0,7	1	50,16	3	-	5	250,80	15



SPEC CERAMICS, INC.

SpecCeramics.com | info@specceramics.com | 800 449 7732

DISTRIBUTED BY:

CARATTERISTICHE TECNICHE

TECHNICAL FEATURES/ TECHNISCHE EIGENSCHAFTEN/ CARACTÉRISTIQUES TECHNIQUES/ CARACTERÍSTICAS TÉCNICAS

GRES LAMINATO/ LAMINATED PORCELAIN STONEWARE/ LAMINIERTES FEINSTEINZEUG/ GRÈS LAMINÉ/ GRES LAMINADO
EN 14411-G (Bla-UGL) • ANSI 137.1-UGL (UNGLAZED PORCELAIN TILES - P1 CLASS) • ISO 13006-G (Bla-UGL)

	DIN 51130	R9
	BCR TORTUS	> 0,40
	ASTM C1028	≥ 0.60

	LIEVE VARIAZIONE SLIGHT VARIATION	V2
--	--------------------------------------	----

	FUGA MINIMA/ MINIMUM JOINT	
	POSA A PARETE	1 mm
	PAVIMENTO	2 mm
	PAVIMENTO PLUS 100X300	3 mm

100%
ECO COMPATIBILE
CERAMICA PANARIA